

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6229476".pn.	USPAT	OR	OFF	2005/01/06 09:55
L2	1	"5910188".pn.	USPAT	OR	OFF	2005/01/06 10:07
L3	1	"6801157".pn.	USPAT	OR	OFF	2005/01/06 10:07
L7	361	342/123,124.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 11:00
L8	1576	342/123,124.ccls. or 73/290R.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 11:01
L9	237	8 and communication	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 11:01
L11	6	("5609059" "6137282" "6216540" "6229476" "6250601" "6307380" "6373261" "6377201" "6477474" "6608489").PN. and communicat\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 11:20
L12	3	("6137282" "6307380" "6608489").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 11:20
S1	0	"20040046572"	USPAT	OR	OFF	2005/01/06 08:46
S2	1	"20040046572"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 16:27
S3	1	"6327139".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/17 11:37
S4	10	("5609059" "6137282" "6216540" "6229476" "6250601" "6307380" "6373261" "6377201" "6477474" "6608489").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 11:02
S5	3	("5841028" "3208281").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/20 13:41
S6	1	"6477474".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/20 13:41

S7	29	("3812422"   "3832900"   "3853005"   "3900260"   "3995212"   "4044355"   "4435709"   "4489601"   "4786587"   "4838690"   "4972386"   "5157337"   "5313168"   "5345183"   "5365178"   "5440310"   "5609059"   "5610611"   "5656774"   "5659321"   "5661251"   "5726578"   "5734346"   "5811677"   "5898308"   "6130637"   "6166681"   "6184818"   "6198424").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/20 14:01
S8	4	S7 and (capacitance)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/20 13:44
S9	19	S7 and dielectric	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/20 14:26
S10	3015	(level near3 (detect\$3 sens\$3 determin\$3 measur\$3)) with (capacitance capacitive)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/20 14:31
S11	818	S10 and "73"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/20 14:36
S12	480	S11 and dielectric	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/20 14:37
S13	60	S12 and electromagnetic	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/20 15:06
S14	1	"6137282".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 14:39
S15	1	"6327139".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/20 16:41
S16	1	"4315196".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/20 16:41
S17	3015	(level near3 (detect\$3 sens\$3 determin\$3 measur\$3)) with (capacitance capacitive)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 11:48
S18	82	(level near3 (detect\$3 sens\$3 determin\$3 measur\$3)) with (capacitance capacitive) same electromagnetic	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 14:21
S19	2	(level near3 (detect\$3 sens\$3 determin\$3 measur\$3)) with ((change increas\$3 decreas\$3 variation\$1) near2 (capacitance capacitive)) same electromagnetic	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 13:06

S20	264	(level near3 (detect\$3 sens\$3 determin\$3 measur\$3)) with ((change increas\$3 decreas\$3 variation\$1) near2 (capacitance capacitive))	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 14:22
S21	145	S20 and dielectric	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 14:26
S22	8458	(level near3 (detect\$3 sens\$3 determin\$3 measur\$3)) and coupler	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 14:28
S23	2	S21 and coupler	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 14:26
S24	13	(level near3 (detect\$3 sens\$3 determin\$3 measur\$3)) and (coupler same ((change increas\$3 decreas\$3 variation\$1) near2 (capacitance capacitive)))	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 14:37
S25	1	"6137282".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 16:03
S26	1267	324/637,639,640,642,643,644.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 16:03
S27	301	S26 and (level near3 (detect\$3 sens\$3 determin\$3 measur\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 16:43
S28	164	S27 and (couple coupler coupling)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 16:04
S29	102	S28 and electromagnetic	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 16:25
S30	55	S29 and (capacitance capacitor capacitive)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 16:44
S31	7	S29 and ((chang\$3 increa\$3 decrea\$3 vary variat\$3) near3 (capacitance capacitor capacitive)).	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 16:43
S32	816	324/523,207.17,532.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 08:30
S33	123	S32 and (level near3 (detect\$3 sens\$3 determin\$3 measur\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 16:43
S34	64	S33 and (capacitance capacitor capacitive)	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/22 16:44

S35	845	324/523,207.17,532.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/05 08:45
S36	294	S35 and electromagnetic	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 08:46
S37	240	S36 and (level distance)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 08:46
S38	147	S36 and ((level distance) near3 (measur\$3 detect\$3 determin\$5 sens\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 10:26
S39	123	S35 and ((level) near3 (measur\$3 detect\$3 determin\$5 sens\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 09:00
S40	2	S35 and ((level) near3 (measur\$3 detect\$3 determin\$5 sens\$3)) and ((increase decrease change vary) near3 capacitance)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 09:01
S41	1	"6137282".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 10:18
S42	3	("3750012"   "4165482"   "5610611").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 09:54
S43	2	"3277711".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 10:25
S44	9	324/634.ccls. and ((level) near3 (measur\$3 detect\$3 determin\$5 sens\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 10:47
S45	156	73/290R.ccls. and electromagnetic	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 10:47
S46	4	S45 and ((change increase decrease vary variation) near3 capacitance)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 12:00
S47	152	324/533.ccls.	USPAT	OR	OFF	2005/01/05 12:00
S49	39	73/290R.ccls. and ((change increase decrease vary variation) near3 capacitance)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 14:04
S50	369	73/304R,304C.ccls. and ((change increase decrease vary variation) near3 capacitance)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 15:40
S51	25	S50 and electromagnetic	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 14:05

S52	1	"5910188".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 14:39
S53	3	S50 and coupler	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 15:08
S54	1	342/123,124.ccls. and ((change increase decrease vary varaition) near3 capacitance)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 15:11
S55	361	342/123,124.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 11:00
S56	121	S55 and electromagnetic	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 15:13
S57	15	S56 and capacitance	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 15:40
S58	5	702/2,149.ccls. and ((change increase decrease vary varaition) near3 capacitance)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 15:41
S59	1	"20040046572"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 16:35
S60	3	("5841028", "6229476", "3208281").pn.	USPAT	OR	OFF	2005/01/05 16:55
S61	0	"2763682"	EPO	OR	OFF	2005/01/05 17:03
S62	0	FR2763682	EPO	OR	OFF	2005/01/05 17:03
S63	1	"2763682"	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 17:05